

CERTIFICATE OF ANALYSIS

	Test	Results	I-502 Limits	Status	Method
Date Received: 05/09/2023	D9-THC	1.8 %			UHPLC-DAD
	THC-A	26.5 %			UHPLC-DAD
Client: Ladera Farms	Total THC	25.0 %			
	CBN	0.0 %			UHPLC-DAD
Sample Type: Cannabis Flower	CBD	0.0 %			UHPLC-DAD
	CBD-A	0.1 %			UHPLC-DAD
Sample Name: S-0179536	Total CBD	0.1 %			
	THC + CBD Total	25.1 %			
AR-Number: R-0147118	Total Cannabinoids	28.4 %			
	Water Activity	0.38 aw	0.0 - 0.65		Rotronic Probe
Client ID: 417301	Enterobacteriaceae	<20 CFU/g	0.0 - 10,000.0	pass	3M Petrifilm
	E. coli	0 CFU/g	No Trace	pass	3M MDS
UBI Number: WSLCB	Salmonella	0 CFU/g	No Trace	pass	3M MDS
	Total Aflatoxins	<3 ng/g	0.0 - 20.0	pass	LC/MS/MS
Inventory ID: GF41730105514198	Ochratoxin A	<3 ng/g	0.0 - 20.0	pass	LC/MS/MS
	Abamectin	N.D. ppm	0.0 - 0.5	pass	LC/MS/MS
Product Name: Cookies & Cream	Acephate	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Acequinocyl	N.D. ppm	0.0 - 2.0	pass	LC/MS/MS
	Acetamiprid	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Aldicarb	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Azoxystrobin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Bifenazate	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Bifenthrin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Boscalid	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Carbaryl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Carbofuran	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Chlorantraniliprole	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Chlorfenapyr	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

Testing Technologies

19834 Viking Ave NW Ste A
Suite A Poulsbo, WA 98370

Ladera Farms

570 Webb Ave S Ste A East Wenatchee,
WA 98802

	Test	Results	I-502 Limits	Status	Method
	Chlorpyrifos	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Clofentezine	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Cyfluthrin	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Cypermethrin	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Daminozide	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Dichlorvos (DDVP)	N.D. ppm	0.0 - 0.1	pass	LC/MS/MS
	Diazinon	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Dimethoate	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Ethoprophos	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Etofenprox	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Etoxazole	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Fenoxycarb	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Fenpyroximate	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Fipronil	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Flonicamid	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Fludioxonil	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Hexythiazox	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Imazalil	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Imidacloprid	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Kresoxin-methyl	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Malathion	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Metalaxyl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methiocarb	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methomyl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methyl parathion	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	MGK-264	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Myclobutanil	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Naled	N.D. ppm	0.0 - 0.5	pass	LC/MS/MS
	Oxamyl	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Paclobutrazol	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

Testing Technologies

19834 Viking Ave NW Ste A
Suite A Poulsbo, WA 98370

Ladera Farms

570 Webb Ave S Ste A East Wenatchee,
WA 98802

	Test	Results	I-502 Limits	Status	Method
	Permethrins (total)	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Phosemet	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Piperonyl Butoxide	N.D. ppm	0.0 - 2.0	pass	LC/MS/MS
	Prallethrin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Propiconazole	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Propoxur	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Pyrethrins (Total)	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Pyridaben	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spinosads (total)	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spiromesifen	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spirotetramat	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spiroxamine	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Tebuconazole	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Thiacloprid	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Thiamethoxam	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Trifloxystrobin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Stems	0.0 %	0.0 - 5.0	pass	
	Seeds or Other	0.0 %	0.0 - 2.0	pass	
	Hair, Insect Fragment, or Excreta	0.0 ct	=0	pass	

Laboratory ID: 3568-02

Date Tested: 05/10/2023

Published Date: 05/11/2023 16:43:45

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.